



Cangzhou Jiansheng Building Waterproof Material Co., Ltd



Professional supplier of all kinds of **building waterproof materials**

[www.hbjanda.en.alibaba.com](http://www.hbjanda.en.alibaba.com)

Tel: 86-15511775265



Email: [jiandawaterproof10@hotmail.com](mailto:jiandawaterproof10@hotmail.com) Fax: 86-0317-8661899

## Product catalogue

Part No.	Commodity	Description	Picture	Product grade
A ASTM asphalt roofing felt and building paper				
A1	ASTM D-226 15#	width:36in length:144ft weight:22kg		☆☆☆☆☆
A2	ASTM D-226 30#	width:36in length:72ft weight:23kg		☆☆☆☆☆

A3	ASTM D-4869 15#	width:36in length:144ft weight:13.5kg		☆☆☆☆☆ most hot selling
A4	ASTM D-4869 30#	width:36in length:72ft weight:13kg		☆☆☆☆☆
A5	building paper	width:1m length:40m weight:12kg thickness:0.3mm		☆☆☆☆☆
A6	Building Paper II	width:0.8m length:22.5m weight:11kg thickness:0.6mm		☆☆☆☆☆

A7	Fieltro M. H. R 15	width:1m length:40m weight:14KG thickness:0.4mm		☆☆☆☆☆
A8	Fieltro M. H. R 15/40	width:1m length:40m weight:11.6KG thickness:0.35mm		☆☆☆☆☆
A9	Fieltro M. H. R 10/40	width:1m length:40m weight:9KG thickness:0.3mm		☆☆☆☆☆
<b>B SBS modified bituminous waterproof membrane</b>				☆☆☆☆☆
B1	SBS modified bituminous sheet materials (PE)	width:1m length:10m weight:28kg/roll thickness:2mm		☆☆☆☆☆
		width:1m length:10m weight:41kg/roll thickness:3mm		☆☆☆☆☆

		<p>width:1m length:8m weight:45kg/roll thickness:4mm</p>		<p>☆☆☆☆☆</p>
B2	SBS modified bituminous sheet materials with mineral granules(M)	<p>width:1m length:10m weight:45kg/roll thickness:3mm</p>		<p>☆☆☆☆☆</p>
		<p>width:1m length:8m weight:47kg/roll thickness:4mm</p>		<p>☆☆☆☆☆</p>
		<p>width:1m length:8m weight:57kg/roll thickness:5mm</p>		<p>☆☆☆☆☆</p>
B3	SBS modified bituminous sheet materials with aluminum foil(A1)	<p>width:1m length:10m weight:29kg/roll thickness:2mm</p>		<p>☆☆☆☆☆</p>
		<p>width:1m length:10m weight:42kg/roll thickness:3mm</p>		<p>☆☆☆☆☆</p>

		<p>width:1m length:8m weight:46kg/roll thickness:4mm</p>		<p>☆☆☆☆☆</p>
B4	Self-adhering polymer modified bituminous waterproof sheet	<p>width:1m length:2m thickness:1.0mm</p>		<p>☆☆☆☆☆</p>
		<p>width:1m length:20m thickness:1.2mm</p>		<p>☆☆☆☆☆</p>
		<p>width:1m length:10m thickness:1.5mm</p>		<p>☆☆☆☆☆</p>
		<p>width:1m length:10m thickness:2.0mm</p>		<p>☆☆☆☆☆</p>
		<p>width:1m Length:20m thickness:1.0mm</p>		

B5	sand finished self-adhesive waterproof membrane	width:1m Length:20m thickness:1.2mm		☆☆☆☆☆ (famous in North America and South Korea)
		width:1m Length:20m thickness:1.5mm		
B6	PP fabric coated self-adhesive roofing underlayment	width:1m Length:20m thickness:1.0mm		☆☆☆☆☆ (famous in North America and South Korea)
		width:1m Length:20m thickness:1.2mm		
		width:1m Length:20m thickness:1.5mm		
C Roofing underlay and Polyester waterproof membrane				☆☆☆☆☆

C1	sand felt roof underlayment (YAP-500)	width:1m length:25/30m thickness:1.0mm spec:500g/m2 s--PP	 <p>name:sand felt roofing underlayment</p>	☆☆☆☆☆ main market in Sweden
C2	roofing felt non-woven fabrics (YEP-500, YEP-700)	width:1m length:25/30m thickness:0.8mm spec:500g/m2 PP--PP		☆☆☆☆☆
		width:1m length:25m thickness:1.0mm spec:700g/m2 PP--PP		☆☆☆☆☆ popular in Europe

D1	base oil	20kg/barrel		☆☆☆☆☆
E1	non-curing rubber waterproof coating	20kg/barrel		☆☆☆☆☆ new product