



QUOTATION LIST

Date: 15-Feb-22

P/1 No.: D21110904
Foshan Yongxiong Packaging Machinery Co., Ltd

Buyer:

Seller:

Floor 3, Block A, No. 24, North Lake Road, Luocun, Foshan, Guangdong, CN

Contact: Daniel/+86 15112190778
Email: daniel@yongxiongpacking.com

Contact:

Tel:

Deliver Address:

Shipment Date:

Validity Date:

Payment: T/T, Alibaba order

Machinery:

Landing Port:
Discharge Port:


Shenzhen

Shipping term:

FOB, Shenzhen

Seq.	Item No.	Item Name	Description	Film	Wooden Box	DIM. (CMB)	G.W.(KG)	MOQ	FOB Shenzhen, Price			Amount(USD)
									1 set	2-5 set	over 10 set	
1	YX250B	Packaging Machine (Double Frequency Up-paper Horizontal Flow Wrap Machine)	Films Width: 250 mm Bag Making Length: 60-190 or 120-280 mm Bag Making Width: 30-110 mm MAX Product Height: 40mm FilmRolls DIAM.: 320 mm Packing Rate: 40-230 bags/Min Power SPEC: 220V50/60Hz, 2.4KW DIM.: L3770*W680*H1420mm G.W.: About 500 KG	OPP	160*78*146	1.82		1	US\$3,250.00	US\$2,950.00	US\$2,550.00	
		The Conveyor (Double Frequency Up-paper Horizontal Flow Wrap Machine)	200*50*30		0.3							
2	YX250E/S	Packaging Machine (Double Frequency Up-paper Horizontal Flow Wrap Machine)	Films Width: 180 mm Bag Making Length: 50-115 or 45-90 mm Bag Making Width: 30-80 mm MAX Product Height: 35 mm FilmRolls DIAM.: 320 mm Packing Rate: 40-230 bags/Min Power SPEC: 220V50/60Hz, 2.4KW DIM.: L3770*W680*H1420mm G.W.: About 500 KG	OPP	160*78*146	1.82		1	US\$4,480.00	US\$4,180.00	US\$3,780.00	
		The Conveyor (Double Frequency Up-paper Horizontal Flow Wrap Machine)	200*50*30		0.3							
3	YX320B	Packaging Machine (Double Frequency Up-paper Horizontal Flow Wrap Machine)	Films Width: 320 mm Bag Making Length: 65-190 or 120-280 mm Bag Making Width: 50-160 mm MAX Product Height: 40 mm FilmRolls DIAM.: 320 mm Packing Rate: 40-230 bags/Min Power SPEC: 220V50/60Hz, 2.6KW DIM.: L3770*W720*H1420mm G.W.: About 550 KG	OPP				1	US\$3,680.00	US\$3,380.00	US\$2,980.00	
		The Conveyor (Double Frequency Up-paper Horizontal Flow Wrap Machine)										
4	YX350B	Packaging Machine (Double Frequency Up-paper Horizontal Flow Wrap Machine)	Films Width: 350 mm Bag Making Length: 65-190 or 120-280 mm Bag Making Width: 50-160 mm MAX Product Height: 65 mm FilmRolls DIAM.: 320 mm Packing Rate: 40-230 bags/Min Power SPEC: 220V50/60Hz, 2.8KW DIM.: L4020*W720*H1320mm G.W.: About 550 KG	OPP	157*86*162cm	0.334	383	1	US\$3,730.00	US\$3,430.00	US\$3,030.00	
		The Conveyor (Double Frequency Up-paper Horizontal Flow Wrap Machine)	207*52*31cm		2.187	55						
6	YX400B	Packaging Machine (Double Frequency Up-paper Horizontal Flow Wrap Machine)	Films Width: 400 mm Bag Making Length: 65-190 or 120-280 mm Bag Making Width: 50-160 mm MAX Product Height: 65 mm FilmRolls DIAM.: 320 mm Packing Rate: 40-230 bags/Min Power SPEC: 220V50/60Hz, 2.8KW DIM.: L4020*W720*H1320mm G.W.: About 550 KG	OPP				1	US\$4,250.00	US\$3,950.00	US\$3,550.00	
		The Conveyor (Double Frequency Up-paper Horizontal Flow Wrap Machine)										
7	YX450B	Packaging Machine (Double Frequency Up-paper Horizontal Flow Wrap Machine)	Films Width: 450 mm Bag Making Length: 150-450 mm 160-500 mm 180-600 mm Bag Making Width: 50-180 mm MAX Product Height: 80 mm FilmRolls DIAM.: 320 mm Packing Rate: 40-150 bags/Min Power SPEC: 220V50/60Hz, 2.8KW DIM.: L4150*W820*H1450mm G.W.: About 620 KG	OPP				1	US\$4,980.00	US\$4,680.00	US\$4,280.00	
		The Conveyor (Double Frequency Up-paper Horizontal Flow Wrap Machine)										
8	YX600B	Packaging Machine (Double Frequency Up-paper Horizontal Flow Wrap Machine)	Films Width: 600 mm Bag Making Length: 150-450 mm 160-500 mm 180-600 mm Bag Making Width: 100-280 mm MAX Product Height: 110 mm FilmRolls DIAM.: 320 mm Packing Rate: 20-150 bags/Min Power SPEC: 220V50/60Hz, 2.8KW DIM.: L4300*W920*H1460mm G.W.: About 680 KG	OPP				1	US\$6,498.00	US\$6,198.00	US\$5,798.00	
		The Conveyor (Double Frequency Up-paper Horizontal Flow Wrap Machine)										

9		Packaging Machine (Double Frequency Up-paper Horizontal Flow Wrap Machine)	Films Width: 700 mm Bag Making Length: 150-450 mm 160-500 mm 180-600 mm Bag Making Width: 100-330 mm MAX Product Height: 110 mm Film Rolls DIAM.: 320 mm Packing Rate: 20-130 bags/Min Power SPEC: 220V50/60Hz, 2.8KW DIM.: L4380*W980*H1480mm	OPP				1	US\$9,100.00	US\$8,600.00	US\$7,600.00
		The Conveyor (Double Frequency Up-paper Horizontal Flow Wrap Machine)									
11		Packaging Machine (Servo Motor Down-paper Horizontal Flow Wrap Machine)	Films Width: 250 mm Bag Making Length: 60-190 or 120-280 mm Bag Making Width: 30-110 mm MAX Product Height: 45mm Film Rolls DIAM.: 320 mm Packing Rate: 40-230 bags/Min Power SPEC: 220V50/60Hz, 2.8KW DIM.: L3770*W680*H1420mm G.W.: About 500 KG	OPP	160*78*146	1.82		1	US\$4,200.00	US\$4,000.00	US\$3,500.00
		The Conveyor (Servo Motor Down-paper Horizontal Flow Wrap Machine)									
3		Packaging Machine (Servo Motor Down-paper Horizontal Flow Wrap Machine)	Films Width: 350 mm Bag Making Length: 65-190 or 120-280 mm Bag Making Width: 50-160 mm MAX Product Height: 65 mm Film Rolls DIAM.: 320 mm Packing Rate: 40-230 bags/Min Power SPEC: 220V50/60Hz, 2.8KW DIM.: L4020*W720*H1320mm G.W.: About 550 KG	OPP	157*86*162 cm	0.334	383	1	US\$5,200.00	US\$4,600.00	US\$4,100.00
		The Conveyor (Servo Motor Down-paper Horizontal Flow Wrap Machine)									
6		Packaging Machine (Servo Motor Down-paper Horizontal Flow Wrap Machine)	Films Width: 350 mm Bag Making Length: 65-190 or 120-280 mm Bag Making Width: 50-160 mm MAX Product Height: 65 mm Film Rolls DIAM.: 320 mm Packing Rate: 40-230 bags/Min Power SPEC: 220V50/60Hz, 2.8KW DIM.: L4020*W720*H1320mm G.W.: About 550 KG	PE,OPP				1	US\$8,300.00	US\$7,700.00	US\$7,151.00
		The Conveyor (Servo Motor Down-paper Horizontal Flow Wrap Machine)									
		Packaging Machine (Servo Motor Down-paper Horizontal Flow Wrap Machine)	Films Width: 450 mm Bag Making Length: 150-450 mm 160-500 mm 180-600 mm Bag Making Width: 50-180 mm MAX Product Height: 80 mm Film Rolls DIAM.: 320 mm Packing Rate: 40-150 bags/Min Power SPEC: 220V50/60Hz, 2.8KW DIM.: L4150*W820*H1450mm	OPP				1	US\$6,200.00	US\$5,500.00	US\$4,800.00
		The Conveyor (Servo Motor Down-paper Horizontal Flow Wrap Machine)									
9		Packaging Machine (Servo Motor Down-paper Horizontal Flow Wrap Machine)	Films Width: 600 mm Bag Making Length: 150-450 mm 160-500 mm 180-600 mm Bag Making Width: 100-280 mm MAX Product Height: 110 mm Film Rolls DIAM.: 320 mm Packing Rate: 20-150 bags/Min Power SPEC: 220V50/60Hz, 2.8KW DIM.: L4300*W920*H1460mm	OPP				1	US\$8,200.00	US\$7,200.00	US\$6,200.00
		The Conveyor (Servo Motor Down-paper Horizontal Flow Wrap Machine)									
11		Packaging Machine (Servo Motor Down-paper Horizontal Flow Wrap Machine)	Films Width: 700 mm Bag Making Length: 150-450 mm 160-500 mm 180-600 mm Bag Making Width: 100-330 mm MAX Product Height: 110 mm Film Rolls DIAM.: 320 mm Packing Rate: 20-130 bags/Min Power SPEC: 220V50/60Hz, 2.8KW DIM.: L4380*W980*H1480mm	OPP				1	US\$10,800.00	US\$9,800.00	US\$8,800.00
		The Conveyor (Servo Motor Down-paper Horizontal Flow Wrap Machine)									
11		Packaging Machine (Servo Motor Down-paper Horizontal Flow Wrap Machine)	Films Width: 800 mm Bag Making Length: 270-700mm Bag Making Width: 160-330mm MAX Product Height Max.160mm Film Rolls DIAM.: 320 mm Packing Rate: 10-35 bags/Min Power SPEC: 220V50/60Hz, 2.8KW DIM.: L3500mm*W820mm*H1520mm G.W.: About 220 KG	OPP				1			
		The Conveyor (Servo Motor Down-paper Horizontal Flow Wrap Machine)									
11		Packaging Machine (Servo Motor Down-paper Horizontal Flow Wrap Machine)	Films Width: 800 mm Bag Making Length: 270-700mm Bag Making Width: 160-330mm MAX Product Height Max.160mm Film Rolls DIAM.: 320 mm Packing Rate: 10-35 bags/Min Power SPEC: 220V50/60Hz, 2.8KW DIM.: L3500mm*W820mm*H1520mm G.W.: About 220 KG	OPP				1	US\$11,800.00	US\$10,900.00	US\$9,800.00
		The Conveyor (Servo Motor Down-paper Horizontal Flow Wrap Machine)									
12		Packaging Machine of Single Channel 4-Sides Sealing Packing Machine	Width of Films: 160-500mm Length of Bag: 100-500mm Width of Bag: 70-240mm Product Height: 1-10mm Film DIAM.: Max.320mm Packing Materials: Laminated films, Bopp/cpp, paper plastic film and other heat sealing film Packing Speed: 40-100 per/min Power: 220V, 50/60HZ, 3.2KW Machine Size: (L)4395 X(W)960 X(H)1410mm	Laminated films, Bopp/cpp, paper plastic film and other heat sealing film	L1940xW1100x H1550mm	3.3CBM	650KG	1	US\$21,260.00		
		The Conveyor of Single Channel 4-Sides Sealing Packing Machine									

13		YXF-100D(doube channel) Packaging Machine of Double Channel 4-Sides Sealing Packing Machine	Width of Films:160-500mm Length of Bag:100-500mm Width of Bag:70-120mm Product Height:1-10mm Film DIAM.-Max.320mm Packing Materials: Laminated films,Bopp/cpp,paper plastic film and other heat sealing film	Laminated films,Bopp/cpp,paper plastic film and other heat sealing film	L1940×W1100×H1550mm	3.3CBM	650KG	1	US\$22,260.00			
		The Conveyor of Double Channel 4-Sides Sealing Packing Machine	Packing Speed: 40-100 per/min Power: 220V,50/60HZ,3.2KW Machine Size: (L)4395 X(W)960X(H)1410mm		L2400×W610×H400mm	0.6CBM	130KG					

Remarks:
-1 The quotation based on carbon steel, if in need of 304 Stainless steel, we will take 1000 USD more as extra cost.
-2 Delivery time:10-15 working days for flow wrap machine, 30 days for 4 side sealing packing machine
-3 Packing: protection film around the machine and machines packed in a firm wooden box.
-4 The price could be negotiable according to your requirements.
-5 The machine will have One year guaranty for machine, two years guaranty for electrical parts.
During the warranty year if any of the parts broken not by man-made. We will free charge to replace the new one to you.
The warranty will begin after the machine send out and we received the B/L.
-6 The price could be negotiable if order Qty enough.

Bank Information:
Bank 1
Company Account Name: Foshan Yongxiong Packaging Machinery Co., Ltd
SWIFT: ABOCCNBJ190
Bank Name: AGRICULTURAL BANK OF CHINA
Bank Address: No.5, Nanhu First Road, Luocun, Shishan Town, Nanhai District, Foshan city, Guangdong Province, China

Shipping Mark:

Signature: